

# DATASHEET



## FIRE STRYKER | FIRE SUPPRESSION SYSTEM

100 SECONDS FIRE SUPPRESSION

CODE: FSS100



# DATASHEET

# FIRE STRYKER | FIRE SUPPRESSION SYSTEM

## PRODUCT FEATURES AND INFORMATION

The FSS100 is the latest innovation in the fire protection industry

The FSS100 is significantly lighter than conventional fire protection equipment such as fire extinguishers. It is a cost-effective solution for small to large businesses, households, offices, and all types of vehicles, and can be safely stored for quick and easy access in an emergency.

The FSS100 is designed to be extremely lightweight at only 365 g, making it a practical alternative to traditional fire extinguishers. It is not pressurised, meaning it does not require servicing, maintenance, or refilling like conventional fire protection equipment. This also removes the risk of pressurised containers exploding or malfunctioning.

Unlike traditional extinguishers, the FSS100 leaves no residue after use, significantly reducing clean-up costs and minimising salvage and recovery expenses once the fire has been extinguished.

## LIGHTEST & MOST ADVANCED FIRE SUPPRESSION SYSTEM

### Main Features

- 100 SECONDS OF FIRE SUPPRESSION
- PUTS OUT FIRE CLASS A.B.C.E.F
- LIGHT. COMPACT. PORTABLE. EFFICIENT. SAFE. ECONOMICAL
- NON-PRESSURISED - NO SERVICING/ MAINTENANCE /REFILLING NEEDED
- NON-CORROSIVE. NON-TOXIC. ENVIRONMENTALLY FRIENDLY NO RESIDUE LEFT AFTER USE
- 8 YEAR SHELF LIFE



# DATASHEET

# FIRE STRYKER | FIRE SUPPRESSION SYSTEM

## PRODUCT FEATURES AND INFORMATION



### SIMPLE STEPS TO USE:



Remove the cover



Take out the striker cap at the bottom



Strike the igniter



Point at base of flames



**WATCH THE FIRESTRYKER  
FSS100 IN ACTION**

# FIRE STRYKER | FIRE SUPPRESSION SYSTEM

## PUTS OUT CLASS FIRE:

A

Class A Fires: Solid combustible materials

B

Class B Fires: Liquid combustible materials

C

Class C Fires: Gaseous combustible materials

F

Class F Fires: Cooking & oil fats

E

Electrical Equipment Fires: Up to 100V

### MATERIALS & CONSTRUCTION

- Weight: 365g
- Length: 32.8cm
- Diameter: 3.3cm
- Inner Component: Metal Tube
- Outer Component: Plastic Cover

### TESTING & QUALITY CONTROL

- Tested in accordance with AS/NZS1850, in compliance with AS/NZS1841
- Verified by BSI with BSI Verification Certificate No: VC727986
- 100% visual inspection
- Saferight is an ISO 9001 Certified Quality Assurance System



**AUTHORISED DISTRIBUTOR  
FOR FIRE STRYKER PRODUCTS**

Importer's Information: Firestryker Australasia Pty Ltd Unit 2, 38 Sarich Court Osborne Park 6017 WA +61 411 444 005 [www.firestryker.com.au](http://www.firestryker.com.au)  
[info@firestryker.com.au](mailto:info@firestryker.com.au)